Uinta Basin

How we understand the O&G sector universe

Operators Meeting 9/3/15

Outline

- Air Quality metrics
- O&G Production data
- Emissions data
- Tribal Minor Source Registration data
- Data gaps

4th Max 8-hour O3,	ppb (NAAC)S = 75 ppb)								
									ENEFIT		
Year	Dinosaur	Vernal	New Vernal	Redwash	Ouray	Roosevelt	Myton	Whiterocks	Dragon Road	Fruitland	Rangel
2007	63										
2008	66										
2009	63			67	67						
2010	68			98							
2011	90			100			111	68		65	5
2012	75	64		67	70	67	71	69	72	70)
2013	113	102		114		104	109	95	82	62	2
2014	64	62		63	79	62	67	64		64	l I
			Alice American de la constitución de la constitució	A. C. Carriero					5.5.2.5.5		
					Minia-IIIII WIII-Jacopaaaoooooo						Notice of the second se
									ENEFIT		
Design Values	Dinosaur	Vernal	New Vernal	Redwash	Ouray	Roosevelt	Myton	Whiterocks	Dragon Road	Fruitland	Rangel
'09-'11	73.7			88.3	100.0						
'10-'12	77.7			88.3	101.0						66
'11-'13	92.7			93.7	10A ()		97.0	77.3		65.7	77
'12-'14	84.0	76.0		81.3	93.7	77.7	82.3	76.0		65.3	74
Air Quality Index:									and distance for the second se		
Green	Good Air (Quality									
Yellow	Moderate	Air Qualit	ty			- Control of the Cont					
Orange	Unhealth	y for Sensit	tive Groups A	Air Quality			ſ			2	2
Red	Unhealthy	/ Air Quali	ty					Nonattair		i	

Air Quality


Nonattainment	Design Value (ppb)								
Designation Classification	Current 75 ppb Ozone NAAQS	70 ppb Ozone NAAQS (Estimated)	65 ppb Ozone NAAQS (Estimated)						
Marginal	76 - <86	71 - <80	66 - <75						
Moderate	86 - <100	80 - <93	75 - <87						
Serious	100 - <113	93 - <105	87 - <98						
Severe	113 - <119	105 - <111	98 - <103						
Extreme	119 - <175	111 - <163	103 - <152						

DRAFT

Very Unhealthy Air Quality

Purple

O&G Production Data




~75% of oil & gas production in Uinta Basin within exterior boundaries of Uintah & Ouray Indian Reservation

Top 20 O&G Producers

Within the exterior boundaries of U&O Within Exterior Boundaries U&O	Number of	OIL Produced
Current Operator	Wells (2014)	Barrels (2014)
NEWFIELD PRODUCTION COMPANY	1,409	7,043,408
EP ENERGY E&P COMPANY, LP	261	4,571,164
BILL BARRETT CORPORATION	284	3,151,243
CRESCENT POINT ENERGY US CORP	240	2,752,210
BERRY PETROLEUM COMPANY	578	2,171,577
ULTRA RESOURCES INC	82	1,397,871
PETROGLYPH OPERATING COMPANY INC	229	1,193,947
AXIA ENERGY LLC	43	1,106,170
QEP ENERGY COMPANY	793	1,074,473
KERR-MCGEE CORP.	2,706	1,042,197
LINN OPERATING, LLC	374	984,680
EL PASO CORPORATION	68	856,407
EOG RESOURCES, INC.	1,319	655,458
FINLEY RESOURCES, INC.	85	559,420
DEVON ENERGY CORPORATION	9	204,067
QUINEX ENERGY CORP	17	180,084
CITATION OIL AND GAS CORPORATION	43	125,897
XTO ENERGY, INC.	416	97,486
GASCO PRODUCTION COMPANY	123	74,545
HARVEST (US) HOLDINGS, INC	8	50,859
SUM TOP 20	9,087	29,293,163
Compared to TOTAL 2014 U&O:	9,640	29,499,562
Top 20 acount for	94%	99%
43	Operators accou	nt for remainder

Within exterior boundaries of U&O		
Within Exterior Boundaries U&O	Number of	GAS Produced
Current Operator	Wells (2014)	Mcf (2014)
KERR-MCGEE CORP.	2,706	203,382,460
EOG RESOURCES, INC.	1,319	35,547,477
QEP ENERGY COMPANY	793	24,401,675
BERRY PETROLEUM COMPANY	578	15,826,652
NEWFIELD PRODUCTION COMPANY	1,409	11,888,643
BILL BARRETT CORPORATION	284	11,389,526
XTO ENERGY, INC.	416	10,740,094
EP ENERGY E&P COMPANY, LP	261	8,395,942
GASCO PRODUCTION COMPANY	123	6,759,713
LINN OPERATING, LLC	374	5,740,810
WHITING OIL AND GAS CORPORATION	22	3,664,200
DOMINION EXPLORATION & PROD INC	152	3,402,929
CRESCENT POINT ENERGY US CORP	240	2,854,439
EL PASO CORPORATION	68	2,486,421
PETROGLYPH OPERATING COMPANY INC	229	2,163,362
ULTRA RESOURCES INC	82	1,450,111
AXIA ENERGY LLC	43	1,406,147
ENDURING RESOURCES, LLC	74	1,213,888
WEXPRO COMPANY	64	1,081,372
MILLER, DYER & CO. LLC	4	879,279
SUM TOP 20	9,241	354,675,140
Compared to TOTAL 2014 U&O:	9,640	361,612,254
Top 20 acount for	96%	98%
43	Operators accou	nt for remainder



WRAP – Phase III Emission Inventory

UINTA BASIN - WRAP PH.II	keje odanovnim odani odani e dii e e e e e e e e e e e e e e e e	niiiiniikkaiininiinin seelmkeesiseseesinkuliikulta pisekkeesinkii		ilikkihiliikkeerinnoistailikuultaanniggalassasina		erestavildidinimiditatilarilihdidinimidatavajareere	aculiininiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiii		aasiinila taalaiiittiilitala tariiisiinin iinta jokkogitaateelee kiiti	Willian saa (22) (2000 ee waxaa iyo ka
		2006 Em la	sions (tonsiy	earl all all the			20 12 Em l	ssions (tons/y	ar)	
Description	NOx	VOC	CO	3Ox	PMIO	100x	VOC	CO.	SOX	PMI
DENYMERON	148	19,470	124	0	11	225	30,665	189	0	17
Pneumatic devices							25,083	visili kannaan oliisili kikkan on anii kiiki kan ili gibilii kiree oli ka		
	0	14,357	0	O.	0	0	77.72	0	0	Č
Prunakum	0	8,336		0	0	0	14,322	1	0	0
Condensate tank	O.	6,195	Ď.	0	0	0	21,719		Č.	
Undernitted Fugities	(1,910	0	0	0	0	3,212	0	Ō	Õ
Permitted Sources	2,339	1,320	927	•	32	3,184	4,355	2,517	8	48
Truck Loading of Oil	Ö	954		0			1,391	orinninistatiotatiaanistainisioonisioonisioonisioonisioonisioonisioonisioonisioonisioonisioonisioonisioonisioo		
Venting - Complessor Startup	Ō	825		0	0	0	1,300		0	
Venting - Complessor Shutdown		7.8.2	0	0	ol		1,233	0	0	Ô
Address III	2,154	674	2,522	1	9.4		953	34,750	2	135
Compressor engines			Irestillitiitiitiitiitiitiitiitiitetti etti						erolikkikos kreusei jakononkiko (e. e. e. bekanikolio	46
			ililasoitiililiseritmma kannoiliseritlasiideeteesjerimmiristi (22)	352	ovičelne (da ali revišelnesa čele kil litalica i nivej tava politi	4,773	httn://www.com/com/distributions/	1.507	dalamin saab keessi seessa ka	venimen rimani rimini minimi kalenda kale
Venting - blowcowns		292		•	O		450	0	0	derries transitioner det accommisse bis retable le
Venting - Initial completions		241		0	0		332			•
Truck Loading of Condensate	0	127	0	0	0	0	445	O	0	0
Heaters -	1,016	58	83	7	80	1,671	95	1,420	11	132
Miscellaneous engines	163	39		0	1	199	63	201	0	1
Venting - recompletions	0	37	0	0	O	0	51	Q.	0	0
Workoverings	25.5	24	103	21	21	271	22	91	0	15
Gas Plant Truck Loading		3		0	0		12	O	0	Q.
Condensate tank fairing	4 4 1 1 1 7 7 7 7 7 8 1 M 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0		0		2	0			0
Deny drator Flaring	0	O .	hadradrada da	Ō		on in the second			Ō	in the state of th
initial completion Flaring		0	3	0			O.			0
Total	15.053	71,546	8,727	336	623	16,547	127,495	44,925	2.4	631

Western Regional Air Partnership (WRAP) defines the Uinta Basin as wholly including the counties of Carbon, Duchesne, Emery, Grand, Uintah and Wasatch

GHGRP-W - 2013 Data

				from IPCC's AR4 (see FAQs tab)			
acility Id	FIGIA	Facility Name	Basin	Total reported emissions from Onshore Oil & Gas Production	CO2 emissions (non-biogenic)	Methane (CH4) emissions	Nitrous Oxide (N2O) emissions
100023	110002994190	575 Uinta Basin QEP Energy Company	575 - Uinta Basin	418,397	23.157		13
1000167	110055512529	Berry Petroleum Company - Unita Basin 575	575 - Uinta Basin	11.371	15,647	95,699	
100007	110028136700	Bill Barrett Corporation - Uinta Basin (575)	575 - Uinta Easin	212.379		145/435	103
1007481	110015761996	ConocoPhillips' Uinta (\$75)	573 - Uinta Basin	78,965	\$10	70,423	
100,000	110002004964	Crescent Point Energy U.S. Corp - Uinta Basin	575 = Unit@ Cestin	222	4.077	26,170	1.5
1008354	110034207481	EOG Resources, Inc. 575 Ulinta basin	575 - Uinta Basin	562,551	1,513	\$61,038	4
1000	110054613539	EP Energy E&P 573 Uinta basin	575 - Uinta Basin	122,740	3.33		4
1000109	110055512271	Gasco Energy Uintah Basin Operations	575 - Uinta Basin	33.100	411		1
	110055512388	Newfield.575.Uinta	575 - Uinta Basin	104,375	34.622	51,617	77.7
	110028136700	Uinta Basin - AAPG Province 575	575 - Uinta Basin	440,990	60,028	380,955	7
	110032807003	Uinta Basin Wexpro Company	575 - Ulrab Basin	14.330	11		
1011221	130014428770	Ultra Resources/Uintah Basin	575 - Uinta Basin	43,960	37.03	6.277	11
	110055516035	XTO Energy Inc. 575 Uintah	575 - Uinta Basin	174,221	13,638	160,492	42


EPA's Greenhouse Gas Reporting Program - Subpart W covers the Petroleum and Natural Gas Systems. Defines Uinta Basin as the counties of Carbon, Daggett, Duchesne, Uintah and Wasatch.

Tribal Minor Source Registrations

Operator	# Registrations	PM10	PM25	SO2	NOx	co	Voc
American Gilsonite Company							
Anadarko Uintah Midstream, LLC) (1.3.3.3.3.3.3.3.3.3.3.3.3.3.3.3.3.3.3.3						
Axia Energy, LLC							
Berry Petroleum Company							
Bill Barrett Corporation							
Crescent Point Energy U.S. Corp							>>>
El Paso Midstream Group, Inc	7						
Enduring Resources, LLC	ining amma a a an ininining ang ang ang ang ang ang ang ang ang a						
EOG Resources, Inc.			000000000000000000000000000000000000000	- International Association of the Control of the C			
EP Energy E&P Company, L.P.		***************************************					MM
Gasco Energy, Inc							
Kerr-McGee Oil and Gas Onshore LP	***************************************						harry of the second sec
Koch Exploration Company	des de La La Company de la Com						<u></u>
Mid-America Pipeline Company, LLC		de de la constante de la const					A
Monarch Natural Gas, LLC							
Newfield Production Company							
QEP Energy Company	\$						
QEP Field Services Company							
Red Leaf Resources, Inc.	(mg) (mg) - 1,0 mg) (mg) (mg) (mg) (mg) (mg) (mg) (mg)						
Red Rock Gathering Company, LLC					,		
Rhine Construction	- 10 (1) (1) (1) (1) (1) (1) (1) (1) (1) (1)		0.0011111111111111111111111111111111111		termanite ringggggggggaliterit i internet enhañs e gegutterne		***************************************
Rosewood Resources, Inc.							
Ultra Resources, Inc.			Control of the state of the sta				
US Oil Sands (Utah), Inc.	7011/s			Providence (1997)			
Ute Energy, LLC							440 A
Whiting Petroleum Company		A A A A A A A A A A A A A A A A A A A	and a hishing to decrease and a second				
XTO Energy, Inc			A-A-A-A-A-A-A-A-A-A-A-A-A-A-A-A-A-A-A-		20 C C C C C C C C C C C C C C C C C C C		de la composition de
Total registrations as of 8/25/2015	5,216	241	223	161	11,690	10,562	64,278

234 facilities have emission controls on tanks


Tribal Minor Source Registrations, cont'd



cilities <5 <10, etc. ar means lities <25

Tribal Minor Source Registrations, cont'd

Facility-Wide NOx Emissions vs Number of Registered Facilities




Note: X-axis NOx TPY "5" is 0< facilities <5 "10" <=5 facility <15, etc. 38 on "10" TPY NOx bar means 20<= 658 facilities <25


	Separator T	Separator P	API Gravity Sales Oil	VOC lb/bbl
Operator 🕞	(°F) 🕞	(psig)	AVG 💂	AVG 💂
Α	82	57	62.0	6.5
В	160	30-38	40.9	1.0
С	74-75	108-138	52.0	5.9
D	60-99	200-380	51.4	1.1
F	100-168	30-85	39.6	1.3
G	70	64	32.0	0.6
Н	40-157	17-330	50.9	46
ı	50-157	80-600	50.1	5.4
J	100-108	52-700	47.4	4.2
K	40-80	25-190	44.1	0.3
L	45-90	200-325	63.7	7.2
М	158	40	34.4	1.1
N	N/A	N/A	N/A	N/A
0	64-163	60-70	30.1	0.4
Р	80	65	57.0	4.6
Q	N/A	N/A	N/A	1.0
R	48	90	54.6	8.2
S	N/A	N/A	N/A	2.2

Operator identifier was randomly assigned (i.e. not alphabetical, not by production, etc.)

Source: Tribal MS Registrations



Glycol Dehydrators on U&O Reservation



Normalized Pressurized Liquid Sample Speciation Profile – (mol %)

E&P TANKS

Operator	A	C	D	F	G	H	ı	J	K		O	P	R
H25	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CO2	0.08	0.19	0.03	0.01	0.17	0.24	0.15	0.05	0.02	0.23	0.14	0.01	0.10
N2	0.01	0.00	0.00	0.01	0.02	0.02	0.00	0.01	0.01	0.00	0.02	0.00	0.01
C1	1.40	6.46	2.32	0.38	3.13	7.06	6.38	2.66	1.16	9.74	2.64	0.15	3.70
C2	1.77	2.21	1.09	0.25	0.70	2.56	2.96	1.73	0.71	6.09	0.60	0.57	1.70
СЗ	4.82	2.83	1.37	0.43	1.07	4.33	2.99	2.75	1.11	9.14	0.95	2.41	4.39
i-C4	2.82	1.35	0.67	0.22	0.88	2.08	1.00	1.64	0.54	3.61	0.77	1.73	2.26
n-C4	5.97	2.73	1.27	0.59	1.11	4.29	2.48	2.38	1.11	6.86	1.05	3.55	5.12
i-C5	4.31	2.46	1.33	0.44	1.05	3.56	1.46	3.23	1.02	4.13	0.97	4.14	4.08
n-C5	4.19	2.57	1.82	0.93	1.00	3.72	2.27	2.82	1.18	4.33	0.94	3.86	4.51
C6	6.51	3.45	16.77	12.29	1.53	4.73	4.43	3.24	0.31	4.11	4.02	6.51	5.41
C7	17.75	19.21	28.81	16.74	4.43	20.09	12.70	9.01	7.80	16.00	5.85	18.71	18.41
C8	18.64	12.48	12.54	12.50	5.89	8.92	7.84	11.44	15.88	6.07	7.26	19.43	16.39
C9	7.44	8.65	6.06	10.48	4.22	5.97	5.10	5.60	8,53	4.08	5.60	6.84	5.90
C10+	11.61	20.24	5.72	28.75	72.44	20.80	38.71	46.28	50.03	14.97	65.47	15.52	16.99
Benzene	0.56	0.88	2.43	1.56	0.31	0.83	1.02	0.36	0.37	0.57	0.39	1.18	1.34
Toluene	3.28	3.92	6.08	2.74	0.38	2.76	3.25	1.96	3.62	2.57	0.66	5.21	2.57
E-Benzene	0.26	0.39	0.30	0.38	0.05	0.34	0.30	0.19	0.43	0.27	0.07	0.46	0.21
Xylenes	3.41	5.43	3.69	2.29	0.50	3.20	3.37	2.45	5.27	3.31	0.63	4.86	1.51
n-C6	5.17	3.24	7.03	7.97	1.12	3.87	2.89	2.19	0.87	3.35	1.89	4.86	5.36
224Trimethylp	0.00	1.30	0.67	1.03	0.00	0.63	0.69	0.00	0.04	0.54	0.10	0.00	0.00
API Sales Oil	62.0	52.0	51.4	39.6	32.0	50.8	50.1	47.4	44,1	63.7	30.1	57.0	54.6

TOG Condensate Ta	nk Emis	sion Prof	files: val	ues repo	orted in	weight %	6			
Species	Α	С	D	Н	ı	J	К	L	Р	R
Methane	6.2997	26.4868	42.5441	13.0250	15.2277	18.8200	41.5324	15.5540	0.7173	12.5141
Ethane	11.2580	18.1956	18.1926	12.6239	24.9393	21.8901	21.2591	17.2700	5.1086	10.7620
Propane	26.8229	19.0308	11.9138	26.0258	31.2682	32.9904	17.4148	34.5372	30.5980	36.3504
Propylene	*	*	+	**	*	-	*	-	*	*
Isobutane (or 2-Methylpi	11.6633	7.7761	3.0643	9.8883	5.0718	7.8964	4.3806	9.8265	18.0008	10.1963
N-butane	18.6914	11.8718	4.0404	13.5358	11.7698	9.1849	6.2354	13.2771	22.4188	14.9828
Isopentane (or 2-Methyll	7.4490	4.7392	1.9953	7.4246	3.1223	3.7800	2.6155	3.6517	7.8238	5.0941
N-pentane	5.4619	3.7033	1.9751	5.5026	3.8963	2.4515	2.1749	2.7245	4.9544	4.0176
N-hexane	2.3255	1.3176	2.3995	4.0770	0.7668	0.4988	0.4274	0.5787	1.4481	1.2907
Isomers of pentane	*	**	*	*	**	***	*	*	**	+
Isomers of hexane	3.6207	1.8203	7.2618	1.2800	1.1982	0.9608	0.1958	0.9225	3.1309	1.6971
Isomers of heptane	3.8975	2.8853	4.5450	4.6626	1.6431	0.8830	1.6757	1.2016	3.4996	2.0047
Isomers of octane	1.5184	1.0730	0.6245	0.5906	0.3199	0.3168	1.1290	0.1425	1.3677	0.5657
Benzene	0.2076	0.2431	0.6298	0.5383	0.2493	0.1042	0.1344	0.0844	0.2276	0.2581
Toluene	0.3921	0.2763	0.5517	0.3972	0.2422	0.1524	0.4307	0.1068	0.3364	0.1565
Ethylbenzene	0.0231	0.0061	0.0040	0.0127	0.0091	inst	0.0011	0.0038	0.0161	0.0000
Cumene	-	*	*	*	No.	*	*	**	*	der.
trimethylbenzene	**	**	*	-	*	**	-	*	*	*
M, O, & p-xylene	0.1384	0.1494	0.0444	0.1057	0.0881	0.0187	0.1602	0.0388	0.1218	0.0549
2,2,4-trimethylpentane	one .	0.2	0.0	0.1	0.1	-	0.0	0.0374	0.0	ins.
C7	-44:	*	*	*	*	*	-44-	*	*	*
C8	×e:	**	*	*	**	**	**	-	**	*
<u>C9</u>	0.2306	0.2473	0.1583	0.1167	0.0661	0.0508	0.2268	0.0327	0.2078	0.0549
C10+	0.0000	0.0264	0.0081	0.0460	0.0071	0.0010	0.0056	0.0098	0.0201	0.0000
C-5 Cycloparaffins	*	*	*	*	*	*	*	*	*	*
C-6 Cycloparaffins	**	***	**	•	*	*	*)##*	146-
C-7 Cycloparaffins	*	*	*	*	*	*	*	*	-	-
C-8 Cycloparaffins		**	•	•	*	**	*	***	NA.	**
Unidentified	*	*	*	*	-	*	*	*	-	-
Total	100.000	100.000	100.000	100.000	100.000	100.000	100.000	100.000	100.000	100.000
Total M,E	17.558	44.682	60.737	25.649	40.167	40.710	62.792	32.824	5.826	23.276
API Gravity Sales Oil	62.0	52.0	51.4	50.7	50.1	47.4	44.1	63.7	57.0	54.6

TOG Oil Tank Emission Profi	les: values i	reported in v	weight %
Species	F	G	C
Methane	6.6536	38.9561	43.0950
Ethane	5.1882	15.3404	13,0040
Propane	6.8041	17.0285	15.1236
Propylene			
Isobutane (or 2-Methylpropane)	2.5083	8.7806	7.6540
N-butane	5.2310	8.2504	7.3244
Isopentane (or 2-Methylbutane)	2.4480	3.9064	3.2775
N-pentane	3.5651	2.8085	2.3320
N-hexane	13.9475	0.8053	1.1838
Isomers of pentane			
Isomers of hexane	22.2600	1.3730	3.3331
Isomers of heptane	16.9461	1.5205	1.9171
Isomers of octane	5.5348	0.7228	0.8322
Benzene	2.5466	0.1951	0.2032
Toluene	1.7094	0.0775	0.2757
Ethylbenzene	0.0899	0.0050	0.0057
Cumene			
trimethylbenzene			
M, O, & p-xylene	0.6178	0.0325	0.0392
2,2,4-trimethylpentane	1.0701	0.0000	0.0449
C7			
C8			
C9	2.2552	0.1976	0.2850
C10+	0.6241	0.0000	0.0684
C-5 Cycloparaffins			
C-6 Cycloparaffins			
C-7 Cycloparaffins			
C-8 Cycloparaffins			
Unidentified			
Total	100.000	100.000	100.000
Total M,E	11.8418	54.2965	56.0990
API Gravity Sales Oil	39.6	32.0	30.1

← Flash + W/S/B from E&P TANKS

Flash from $GOR \rightarrow$

TOG Oil Tank Emissio Species	M	8	~
H2S	0.00	0.00	0.00
N			
	1.46	0.64	0.57
CO2	0.60	0.12	0.53
C1	30.92	9.45	39.11
C2	18.23	14.34	16.32
<u> </u>	23.34	19.62	16.16
-C4	4.69	5.13	3.57
n-C4	10.70	15.61	8.76
2,2-Dimethylpropane	0.00	0.05	0.03
-C5	3.41	6.80	3.31
n-C5	4.07	10.72	4.39
2,2-Dimethylbutane	0.00	0.22	0.04
Cyclopentane	0.00	0.32	0.37
2,3-Dimethlybutane	0.00	0.43	0.05
2 Methylpentane	0.00	2.43	1.16
3 Methylpentane	0.00	1.35	0.50
n-Hexane	1.17	5.88	1.75
Methylcyclopentane	0.00	0.74	0.53
Benzene	0.07	0.36	0.13
Cyclohexane	0.00	0.81	0.40
2-Methylhexane	0.00	0.53	0.17
3-Methylhexane	0.00	0.48	0.18
2,2,4-Trimethylpentane	0.00	0.00	0.04
n-Heptane	0.00	1.73	0.53
Methylcyclohexane	0.00	0.67	0.36
Toluene	0.05	0.23	0.10
Other C8's	0.24	0.41	0.31
n-Octane	0.00	0.20	0.07
Ethylbenzene	0.00	0.00	0.00
M&P Xylenes	0.01	0.02	0.03
O-Xylenes	0.00	0.00	0.01
Other C9's	0.05	0.03	0.06
n-Nonane	0.00	0.01	0.01
Other C10's	0.01	0.00	0.02
n-Decane	0.00	0.00	0.01
Undecanes+	0.00	0.00	0.02
API Sales Oil	34.4	40.9	

TOG Glycol Dehydrato	r Profiles:	values re	ported in	weight %	<u> </u>		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
Species	D	Н	J	К	L	0	Q
Methane	35.1081	70.2166	2.3921	5.1952	4.7237	7.0977	32.4064
Ethane	6.0119	4.6730	0.9287	1.0633 2.9450		2.1288	5.1459
Propane	5.5688	2.2560	1.0283	0.9727	3.9224	5.0649	6.0543
iso-butane	1.8251	1.1025	1.0107	0.4236	1.5972	1.6909	1.5343
n-butane	3.1199	1.0694	0.9905	0.6419	2.9889	5.0614	3.4084
iso-pentane	1.5603	0.7675	1.1281	0.4032	1.6175	2.0513	1.3302
n-pentane	1.5158	0.4858	0.6800	0.3854	1.4671	2.8849	1.8152
n-hexane	1.1044	0.3586	0.8094	1.0153	1.3915	2.3667	0.8794
isomers of pentane	-	-	- 1844	-		-	***
isomers of hexane	1.2714	0.6131	1.4415	0.8268	1.4196	2.3253	1.4090
isomers of heptane	2.4693	0.8790	2.8676	2.8166	4.3165	5.6727	0.3634
isomers of octane	-	-	••	*	*	**	***
C-5 Compounds	aw.	44	*	-		-	
C-6 Compounds	***	-	*	*	1461	-	
C-7 Compounds	**	**		**	*		~
C8+	7.9572	2.3245	10.6949	39.8952	16.8508	2.1291	10.5201
Benzene	4.6812	4.4616	35.7903	9.2118	8.7877	18.8657	7.7701
Isomers of propyl benzene	*	habe		*	*	- 44	in the second se
Isomers of butyl benzene	*	-	***		**	-	-844
Toluene	12.0282	5.7070	29.1334	16.1865	22.1154	21.3574	13.2197
Cumene	-	~		*	*	*	*
1,2,4-trimethylbenzene	**	*	w	wie-	*	*	1880
Ethyl-Benzene	0.5441	0.1968	0.7627	0.4152	0.7902	1.7069	2.5963
Xylenes	9.3590	3.1154	6.4650	14.1930	15.2746	6.5196	9.6954
224 Trimethylpentane	0.0928	0.0292	0.0644	0.0839	0.1378	0.2763	0.0230
C-5 cycloparaffins	**	_	*	**	***	**	
C-6 cycloparaffins	2.0008	0.6167	1.0848	2.1937	3.9102	5.9079	0.9689
C-7 cycloparaffins	3.7817	1.1273	2.7274	4.0767	5.7438	6.8926	0.8601
Total	100.0000	100.0000	100.0000	100.0000	100.0000	100.0000	100.0000
Total M,E	41.1200	74.8896	3.3209	6.2585	7.6688	9.2265	37.5523

← from GRI GLYCalc

Species	D	E	F	G	Н	J	K	L	M	0	P	Q	R
Methyl alcohol	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Methane	74.3315	80.7657	59.0542	67.6564	79.2213	89.6366	79.4964	75.3122	59.7317	47.5473	76.0519	84.5296	68.6577
Ethane	10.1399	7.7534	12.9509	8.9401	7.9579	4.6836	8.6587	9.8878	14.1182	9.5711	8.1062	5.1428	9.3049
Propane	7.0328	4.2630	9.9904	10.9700	5.6784	1.7871	4.2611	5.7556	14.1391	15.0314	6.7065	4.6372	10.0007
Propylene	-	-	-	-	-	-100	~	-	-	**	-	-	-
iso-butane	1.7900	1.2675	2.3867	2.0815	1.6057	0.9822	1.1672	1.6511	2.5640	3.6825	1.6946	0.9494	2.5416
n-butane	2.5148	1.5897	5.1265	4.3353	2.1045	0.6426	1.3673	2.1854	4.7111	10.7118	2.4062	1.7660	3.7248
iso-pentane	1.1145	0.8668	2.2238	1.5238	1.0186	0.6507	0.7006	1.1311	1.4868	3.7446	1.1757	0.6880	1.5904
n-pentane	0.8948	0.6268	2.5107	1.4378	0.6622	0.2821	0.5311	0.9105	1.3644	3.8191	0.9009	0.7941	1.3519
n-hexane	0.3784	**	1.1031	190	0.2429	0.1594	0.4837	0.4880	0.4074	0.4903	0.5775	0.2461	0.5828
isomers of pentane	-	-	-	-		*	-	-		~	-	-	-
isomers of hexane	0.5639	2.8670	1.5314	2.1540	0.4771	0.4071	0.7257	0.7056	0.6105	5.0019	0.7931	0.5317	0.9087
isomers of heptane	0.4139		1.2560	0.7824	0.2049	0.2494	0.8110	0.6539	0.3771	0.1274	0.7177	0.0287	0.5148
isomers of octane	-	inc	m².	Nage:	•	was.	7964	-	-	**	*	ulpa:	-
C8+	0.1881	-	0.9889	-	0.5270	0.1097	1.1819	0.4330	0.2065	0.0720	0.0082	0.3434	0.1907
Benzene	0.0486	was.	0.2271	0.0203	0.0324	0.1647	0.0610	0.0728	0.0238	0.0167	0.1569	0.0738	0.0397
Toluene	0.0803	Sales .	0.1264	0.0198	0.0229	0.0960	0.0906	0.0864	0.0263	0.0170	0.0385	0.0833	0.0631
Cumene	-	ide		**	***	and .	*	-	ier	*	**	iner	-
1,2,4-trimethylbenzene	-	1885	SMI	1880	3 98 4	.m/v	160		386·	**	*	Nee-	Neer
Ethyl-Benzene	0.0023	AMY	0.0129	0.0005	0.0006	0.0019	0.0058	0.0034	0.0030	0.0004		0.0097	0.0022
Xylenes	0.0293	*	0.0555	0.0064	0.0100	0.0128	0.0435	0.0430	0.0131	0.0057	1880.	0.0322	0.0226
224 Trimethylpentane	0.0322	win-	-	0.0097	0.0164	0.0145	0.0250	0.0469	0.0450	0.0094	0.0747	0.0085	0.0389
C-5 cycloparaffins	-	ian	·w-	AMM.	**	**	New .	**	iles.	*	nês:	1801	-
C-6 cycloparaffins	0.1816	*	0.2333	*	0.1065	0.0380	0.1927	0.2318	0.0840	0.1008	0.2854	0.0737	0.1910
C-7 cycloparaffins	0.2631	1907-	0.2222	0.0622	0.1107	0.0816	0.1964	0.4017	0.0882	0.0507	0.3061	0.0618	0.2737
C-8 cycloparaffins	-	*	-	-	•	-	**	-	*	-	**	-	-
Unidentified	*	**	*	~	*	*	- Mar.	*	**	*	***	1897	196.
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Data Gaps — Research shows ...

- Discrepancy between top-down measurements and bottom-up emission inventories
 - In UB, airborne measurements ~8.9% of gas produced to atmosphere compared to GHGRP-W ~ 1.0%
 - In UB, Ozone modeling shows low negative bias for VOCs and methane by factor of 1.8 and 4.8 respectively

Data Gaps — Research shows ...

- Skewed emission distributions, fat tail, "super-emitter" ...
 a small number of sources account for a large % of emissions –
 not fixed in time or space
 - Wellpads 86 natural gas wellsites ... ~5% sites → ~60% of emissions
 - <u>Midstream Compressor Stations</u> 114 CSs ... 30% sites → ~80% of emissions
 - Gas Plants 16 gas processing plants ... 45% sites \rightarrow ~80% of emissions
 - Transmission Compressor Stations 45 CSs ... 10% sites \rightarrow ~ 50% of emissions
 - Abandoned Wells 19 abandoned wells... 3 of the 19 wells had CH4 flow rates three orders of magnitude larger than the median flow rate
 - Well Liquid Unloading 107 wells with liquid unloadings ...
 - w/o plunger lift: 20% wells → 83% of emissions
 - w/ plunger lift and manual: 20% wells → 65% of emissions
 - w/ plunger lift and automatic: 20% wells → 72% of emissions
 - Pneumatic Controllers 377 controllers ... 20% devices → 96% of emissions

Facility Wide Emission Data (MERLIN)

Existing Source Registration Form (FORM REG)

Pollutant	Total Actual Emissions (tpy)	Total Allowable or Potential Emissions (TPY)
PM		
PM_{i0}		
PM 2.5		
SO ₂		
NO_x		
CO		
VOC		
Pb		
Fluorides		
H ₂ SO ₄		
H ₂ S		
TRS		
RSC		

Allowable Emissions (See also, Potential to Emit): Emissions rate of a source calculated using the maximum rated capacity of the source (unless the source is subject to practically and legally enforceable limits which restrict the operating rate, or hours of operation, or both) and the most stringent of the following:

Any applicable standards as set forth in 40 CFR parts 60 and 61;

Any applicable Tribal or Federal Implementation Plan emissions limitation, including those with a future compliance date; or

Any emissions rate specified as a federally enforceable permit condition, including those with a future compliance date.

23